

## Product Information

## TEGO® Antifoam 2290

## PRODUCT DESCRIPTION

TEGO® Antifoam 2290 is a self-emulsifying APEO-free organic antifoam concentrate. The product is absolute free of silicone and does not contain any silica.

## TYPICAL APPLICATIONS

TEGO® Antifoam 2290 destroys foam or prevents foam formation reliably in aqueous media and may be used for foam control in a variety of industrial applications, even there where the use of silicone and silica is not accepted

- Process aid for water-based polymerization of dispersions, thermoplastics and elastomers (e.g. de-monomerisation of SBR or NBR emulsions, handling of acrylates)
- In formulation and application of polymer dispersions/latices (e.g. adhesives based on acrylates or PVAc, paper coatings or others)
- In a multitude of other industrial applications

## BENEFITS &amp; ADVANTAGES

Due to the special selection of active ingredients TEGO® Antifoam 2290 outperforms conventional organic antifoams.

## HANDLING &amp; PROCESSING

Depending on the application in question the required dosage may vary over a wide range (0.005%-0.2%); therefore suitable screening tests are recommended (initial dosage 0.1%). Handling TEGO® Antifoam 2290 can be applied as delivered or prediluted with water in the way that the amount of water is in the dilution vessel and the antifoam is added to the water. If the antifoam is prediluted, active contents of 5 -10% are recommended. High shear forces on the diluted product should be avoided as it might break the emulsion. The water temperature used for the dilution should be ideally 20-40°C to form a stable emulsion.

The product needs to be stirred gently before use.

## PACKAGING

170 kg drums (680 kg per pallet) or 850 kg container

## STORAGE

Storage temperature should not exceed 30°C.

## SHELF LIFE

TEGO® Antifoam 2290 is stable in closed containers for a minimum of 12 months at temperatures below 25 degrees Celcius.

## HAZARDOUS SUBSTANCE

Information concerning

- Classification and labelling according to regulations for transport and for dangerous substances
- Protective measures for storage and handling
- Measures in case of accidents and fire
- Toxicity and ecological effects

is given in our material safety data sheets.

## REGISTRATION LISTING SUMMARY

Based on the submitted information of our raw material suppliers we can confirm, that TEGO® Antifoam 2290 is compliant with EC Regulation 1907/2006 (REACH).

The relevant components of TEGO® Antifoam 2290 are listed/registered or exempt in the following chemical inventories:

## Registration Listings

Registry	Status
Australia (AIIC)	Yes
Canada (DSL)	Yes
China (IECSC)	Yes
EU (REACH)	Yes
EU (EINECS/ELINCS)	Yes
Japan (ENCS)	Yes
South Korea (KECL)	Yes
New Zealand (NZIoC)	Yes

### Registration Listings

Registry	Status
Philippines (PICCS)	Yes
Taiwan (TCSI)	Yes
USA (TSCA)	Yes

### FOOD CONTACT COMPLIANCE

BfR Recommendations TEGO® Antifoam 2290 complies with the XIVth BfR Recommendation. Polymer Dispersions

that comply with the XIVth Recommendation may be further used as production auxiliary according to the BfR Recommendation XXXVI under B. I. 10. FDA regulations TEGO® Antifoam 2290 complies with: 21 CFR 176.210 (Defoaming agents used in the manufacture of paper and paperboard), 21 CFR 175.105 (Adhesives), 21 CFR 175.300 (Resinous and polymeric coatings), 21 CFR 176.170 (Components of paper and paperboard in contact with aqueous and fatty foods), 21 CFR 176.180 (Components of paper and paperboard in contact with dry food), 21 CFR 177.2600 (Rubber articles intended for repeated use).

#### Disclaimer

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third-party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

#### Evonik Operations GmbH

Interface & Polyurethane Additives  
Goldschmidtstraße 100  
45127 Essen  
Germany