

## Product Information

## TEGO® Addibit FS 725 A

## PRODUCT DESCRIPTION

TEGO® Addibit FS 725 A is a bitumen additive based on organo modified siloxanes.

## Typical Properties

Property	Unit	Value
Appearance		Clear, yellow
Density at 25 °C	g/cm <sup>3</sup>	0.85-0.95
Flash Point	°C	≤100
Viscosity at 25°C	mPa·s	130-150

The data represents typical values (no product specification)

## TYPICAL APPLICATIONS

TEGO® Addibit FS 725 A is used as a foam stabilizer in the production of foamed bitumen.

## BENEFITS &amp; ADVANTAGES

- Increased initial foam height
- Higher initial foam volume
- Longer half-life time leads to strongly improved foam stability (much higher foam index)
- No impact on specification of the bitumen
- No impact on the adhesion properties of the bitumen
- Temperature stable up to 170 °C for several days.
- As a result, even bitumen grades with poor foaming characteristics may be used for this application

## DOSAGE

0.1 - 0.2 %, depends on water content (2 - 4 %)

## HANDLING &amp; PROCESSING

For first trials we recommend 0.1 % referred to bitumen when working with a water content of 2 to 3 % in the total formulation.

TEGO® Addibit FS 725 A is added to the bitumen phase.

## PACKAGING

Plastic drums à 180 kg

## SHELF LIFE

TEGO® Addibit FS 725 A may be stored in closed containers for at least 12 months, provided moisture is excluded and storage temperature does not exceed 35 °C.

## HAZARDOUS SUBSTANCE

Information concerning

- Classification and labelling according to regulations for transport and for dangerous substances
- Protective measures for storage and handling
- Measures in case of accidents and fire
- Toxicity and ecological effects

is given in our material safety data sheets.

## REGISTRATION LISTING SUMMARY

The relevant components of TEGO® ADDIBIT FS 725 A are listed/registered or exempt in the following chemical inventories.

## Registration Listings

Registry	Status
<b>Canada (DSL)</b>	Yes
One or more components are not listed on DSL. Import permission for designated Evonik partner only.	
<b>China (IECSC)</b>	Yes
<b>EU (EINECS/ELINCS)</b>	Yes
<b>Japan (ENCS)</b>	Yes
<b>New Zealand (NZIoC)</b>	Yes
<b>Philippines (PICCS)</b>	Yes
Possibility of a polymer exemption	
<b>Taiwan (TCSI)</b>	Yes

## Registration Listings

### Registry

### Status

#### USA (TSCA)

Yes

One or more components are not listed on TSCA. Import permission for designated Evonik partner only.

#### Disclaimer

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third-party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

#### Evonik Operations GmbH

Interface & Polyurethane Additives  
Goldschmidtstraße 100  
45127 Essen  
Germany