

Product Information

VARINE® O

PRODUCT DESCRIPTION

VARINE® O is an oleyl imidazoline developed as corrosion inhibitor for greases, rust preventives and industrial lubricants.

Typical Properties

Property	Unit	Value
Appearance at 25°C		slight yellow to colorless liquid
Density at 25°C	g/cm ³	0.90-0.94
pH Value 1% in water		11-12.5
Solubility in water		dispersible

The data represents typical values (no product specification)

BENEFITS & ADVANTAGES

- VARINE® O is an easy to handle liquid that is a very effective corrosion inhibitor for use in industrial lubricants and rust preventives
- It is especially effective when used in combination with REWOPOL® SK 275

DOSAGE

Depending on the application and the desired properties of the formulated product, it is recommended VARINE® O be used at a dosage level of 0.5-2%.

PACKAGING

Pallet à 724kg (4 x 181kg steel drums)

STORAGE

In original closed containers VARINE® O can be stored at room temperature for the minimum of 12 months.

HAZARDOUS SUBSTANCE

Information concerning

- Classification and labelling according to regulations for transport and for dangerous substances
- Protective measures for storage and handling
- Measures in case of accidents and fire
- Toxicity and ecological effects

is given in our material safety data sheets.

REGISTRATION LISTING SUMMARY

The relevant components of VARINE® O are listed/registered or exempt in the following chemical inventories:

Registration Listings

Registry	Status
Australia (AIIC)	Yes
Canada (DSL)	Yes
China (IECSC)	Yes
EU (EINECS/ELINCS)	Yes
Japan (ENCS)	Yes
South Korea (KECL)	Yes
Philippines (PICCS)	Yes
USA (TSCA)	Yes

Disclaimer

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third-party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Evonik Operations GmbH

Interface & Polyurethane Additives
Goldschmidtstraße 100
45127 Essen
Germany